

**Blackview BV5200 ArcSoft AI Algorithm Powered Camera 4+32GB
Tough 4G Smartphone**



Design

Product	BV5200
OS	Doke-OS 3.0 (Based on Android 12)
Color	Black, Orange, Green
Weight	268g
Dimensions	161.6*77.86*13.65mm

Screen

LCD panel	BOE
IC	ILI9882Q
Panel Type	IPS
Display Resolution	HD+
Screen Size	6.088 Inch
Screen Resolution	720*1560
Screen to Body Ratio (%)	83%
Viewing angle (H/V)	Full angle
PPI/DPI	PPI: 283, DPI: 282

Glass	Rainbow CG01 Pro+
-------	-------------------

Connectivity

WIFI	802.11a/b/g/n/ac
Bluetooth	V5.0
2G	2/3/5/8
3G	WCDMA: B1/B8
4G	TDD: B40 FDD: B1/B3/B7/B8/B20

Hardware

CPU	MediaTek Helio A22(MT6761) Quad Core
CPU Clock	4*A53 2.0GHz
GPU	IMG GE8300 @660 MHz
RAM	4GB
RAM Type	LPDDR3
ROM	32GB
ROM Type	EMCP

TF Card Slot	YES
Max TF Card Capacity	1TB
USB	24pin TYPE-C

Camera

Front Camera	5.0MP
Front Camera Sensor	GC5025H-MCDC0
Front Camera Aperture	f2.2
Rear Camera	13.0MP
Rear Camera Sensor	Sony® IMX258
Rear Camera Aperture	f2.2
Rear Flash	LED flash

Power

Battery Capacity	5180 mAh
Max Charging Current	5V/2A

Multi-media

Video	mp4\3Gp\3gpp\avi\x-flv...
Audio	ogg\aac\imy\amr\x-flac\mp3....
Image	jpeg\png\gif\bmp

Features

Navigation	GPS+GLONASS+Beidou+Galileo
Motor	Flat motor 1020
Sensors	YES
Gyroscope	NO
Magnetic	YES
Air pressure sensor	NO
Hall	NO
Compass	YES
Fingerprint	NO
RGB	YES
NFC	YES
Hotkont	NO

Coulomb Counter	NO
Wireless Charging	NO
Sim-Card Type	Two nano card
FM	YES
OTG	YES
Earphones Jack Type	TYPE-C

Accessories

User Manual	1 X
Power Adaptor	1 X
USB Cable	1 X



Asian Computer Services

Office No. 203, 3rd Floor, Khan Tower, Walton Road, Defence Chock, Lahore. Ph. 042 3660 2502

Email: ashraf.nadeem@acspk.com. Web: acspk.com